



Review Article

Orthorexia Nervosa- As an Eating Disorder

Orçun Avşar*

Abstract

Clean dieting trends are increasingly spreading worldwide and being very popular. Researchers and clinicians are very interested in a situation (orthorexia nervosa) that individuals restrict their diet according to the quality of the food consumed. There are several similarities and differences between orthorexia nervosa and eating disorders. While patients with eating disorders focus on food quantity, orthorexic individuals focus on pure and quality of food. Orthorexia nervosa is not weight loss fast but enormous phobia about eating only 'clean and pure' foods. Orthorexia nervosa should be classified as a new eating disorder or at least a new neuropsychiatric disorder. Further studies about nutritional, cognitive, and eating habits of ON have to be done in order to determine clearly the hypercorrect position of orthorexia nervosa.

Keywords: Eating disorders; Orthorexia nervosa; Diet; Food

Introduction

Eating disorders such as anorexia nervosa (AN) and bulimia nervosa (BN) are frequently diagnosed and treated by physicians and other eating disorders are called as nonspecific eating disorders. In despite of being a little known, these nonspecific eating disorders might be dangerous and severe by reason of the possibility of leading to AN or BN, or being related with other neuropsychiatric disorders such as anxiety or depression (Michalska et al., 2016). The nonspecific eating disorders such as orthorexia nervosa (ON), sleep-related eating disorder (SRED), and bigorexia are not clarified by the fifth edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-5) [1].

Orthorexia Nervosa

Orthorexia nervosa is being evaluated as a new variant of eating disorders [2]. Orthorexia nervosa is derived from the Greek words, *orthos* (right, correct, straight) and *orexis* (appetite, desire, hunger). In 1997, American doctor Steven Bratman introduced the term 'orthorexia' in a non-scientific journal to define his own experiences with food and eating. Bratman has described the individuals whose abnormal diets cause to disturbances of daily functioning and malnutrition [3]. ON defines a pathological obsession with a cluster of eating behaviors that involve a fixation to eat accurate or healthy, strictly organic, biologically-pure foods [4]. Healthy eating behaviors can affect health positively. On the other hand, they may also give rise to pathological behaviors such as orthorexia nervosa [5]. It has been demonstrated that orthorexia nervosa is seen as more desirable, less severe, and generally the result of personal preferences for life [6] and ON may affect approximately 7% of general population and be more common among males [1]. The individuals who practice sports such as athletics or bodybuilding are the groups at higher risk for ON [7].

Clean dieting trends are becoming very popular nowadays. Clean eating indicates the eating behaviors related with restrictive eating models, optimum nutrition, and evasion of unhealthy, processed, or impure foods. The Raw food diet, the Low Carb High Fat, the placebo diet, Super Healthy Family are the most significant examples for clean eating diets [8].

Orthorexia nervosa has not been recognized as a disorder by (DSM-5). Scientists and physicians have discussed whether orthorexia might be evaluated



Affiliation:

Department of Biotechnology, Yeditepe University, Istanbul, Turkey

*Corresponding author:

Orçun Avşar,
Department of Biotechnology, Yeditepe University, Istanbul, Turkey,
Tel: +90 216 578 00 00
E-mail: orcunavsar.gen@gmail.com

Citation: Avşar O (2017) Orthorexia Nervosa- As an Eating Disorder. EPOA 1: 11-13

Received: Sep 22, 2017

Accepted: Oct 10, 2017

Published: Oct 17, 2017

Copyright: © 2017 Avşar O. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



as a disorder, an extreme dietary habit, or behavioral addiction [9]. Orthorexia nervosa is not officially defined as a disorder, however, it is similar to eating disorders such as anorexia nervosa and bulimia nervosa. Moreover, it is not still clear whether orthorexia nervosa belongs to the groups of the obsessive-compulsive disorders or the eating disorders [10]. Orthorexia nervosa has some similar properties with several neuropsychiatric disorders, involving Obsessive-Compulsive Disorder (OCD), anorexia nervosa, illness anxiety disorder, obsessive-compulsive personality disorder, psychotic spectrum disorders, and somatic symptom disorder [11]. Concentration on food, rituals associated with eating, strict eating habits, and very close relationship between self-esteem and eating are the most significant similarities between AN and ON [1]. On the other hand, there are also some notable differences between orthorexia nervosa and eating disorders. Specifically, the individuals with AN are fear of weight gain and being obese, therefore, they restrict food intake in order to lose weight. Conversely, the individuals with ON frequently modify their eating habits to be able to improve their health and to feel 'pure and clean' [8]. While individuals with orthorexia nervosa desire to improve and/or control their health via food and diet, the individuals with anorexia nervosa worry about their physical appearance because of the fear of obesity [4]. Orthorexic individuals indicate obsessive-compulsive behaviors, such as measuring food, weighing frequently and carefully, and extreme meal planning [4]. Furthermore, individuals with orthorexia nervosa continually restrict their diets to a limitative foods such as raw vegetables [8].

Orthorexia nervosa is an obsessive-compulsive pattern on a healthy diet that has worry for food content [12]. It has been demonstrated that socioeconomic status, education, the internalization of the ideals of society, and the preference for profession are involved in the development of ON. On the other hand, age, gender, body mass index are not so significant factors for the development of ON [13]. Furthermore, Oberle et al. has indicated that perfectionism and narcissism are the demographic characteristics which associated with all points of ON symptomatology [14].

The individuals with ON obsessively protest foods which

might involve artificial flavours, pesticide residues, unhealthy fats, artificial colours, foods involving too much sugar or salt, preservative agents, and genetically modified components. Furthermore, kitchenware, and the preparation processes of foods are also main components of the obsessive ritual [7].

Diagnosis of Orthorexia Nervosa

Orthorexia nervosa is diagnosed when the individual devotes all her or his life for healthy foods and lifestyle and excludes job and social activities. Restrictive diets in orthorexia nervosa give rise to deficiencies in nutrition and social problems. The patient must respond confirmingly to at least four out of eleven questions according to Bratman and Knight (Table 1) [15].

Treatment of Orthorexia Nervosa

Orthorexia nervosa is a multifactorial condition therefore, the team for the treatment of ON should compose of psychotherapists, clinicians, and dieticians. The treatment includes a combination of psychoeducation, drug therapy, and cognitive-behavioral therapy [16]. Selective serotonin reuptake inhibitors such as paroxetine, fluoxetine, and sertraline might be combined with psychotherapy in some cases and the treatment might be beneficial for ON [17]. Moreover, serotonin reuptake inhibitors are also helpful for AN and OCD.

Conclusion

Orthorexia nervosa is not weight loss fast but enormous phobia about eating only 'clean and pure' foods. According to the individuals with orthorexia nervosa, the quality and the preparation ways of the foods they consume are more significant than social interactions, career plans, and personal values [17]. In fact, a healthy diet affects health positively and does not influence social interactions, career plans, emotional states, and quality of life. On the other hand, awareness of diet, food, and healthy eating has been increased by the use of internet and social media recently [16]. Using internet may have great potential for misinformation and it has been demonstrated that searching online for health information increase anxiety that is called as 'cyberchondria' [16].

Do you spend more than three hours each day to consider about healthy foods?
Do you arrange your foods one day before?
Which one is more significant for you: what you eat or the pleasure because of eating?
Did your life quality decrease by the healthy diet?
Are you more and more restrictive in your diet?
Do you give up the pleasure of eating to be able to maintain a healthy diet?
Does your self-esteem enhance if you eat healthy foods?
Do you feel remorse and bad if you do not follow your diet?
Does your diet prevent your social activities?
Do you experience satisfactory control if you eat in a proper way?
Do you eat for 'reward' or 'need'?

Table 1: Questions for the diagnosis of ON.



Orthorexia nervosa should be classified as a new eating disorder or at least a new neuropsychiatric disorder. Orthorexia nervosa has some disturbances for eating habits and mood. Further studies about nutritional, cognitive, and eating habits of ON have to be done in order to determine clearly the hypercorrect position of orthorexia nervosa.

References

1. Michalska A, Szeiko N, Jakubczyk A, Woinar M. Nonspecific eating disorders- A subjective review (2016) *Psychiatria Polska* 50: 497-507.
2. Bundros J, Clifford D, Silliman K, Neyman Morris M. Prevalence of orthorexia nervosa among college students based on Bratman's test associated tendencies (2016) *Appetite* 101: 86-94.
3. Dunn TM, Bratman, S. On orthorexia nervosa: A review of the literature and proposed diagnostic criteria (2016) *Eating Behaviors* 21: 11-7.
4. Koven NS, Senbonmatsu R. A neuropsychological evaluation of orthorexia nervosa (2013) *Open Journal of Psychiatry* 3: 214-222.
5. Rudolph, S. The connection between exercise addiction and orthorexia nervosa in German fitness sports (2017) *Eating and Weight Disorders*.
6. Simpson CC, Mazzeo SE. Attitudes toward orthorexia nervosa relative to DSM-5 eating disorders (2017) *International Journal of Eating Disorders* 50: 781-792.
7. Bartrina JA. Orthorexia or when a healthy diet becomes an obsession (2007) *Arch Latinoam Nutr*, 57: 313-315.
8. Nevin SM, Vartanian LR. The stigma of clean dieting and orthorexia nervosa (2017) *Journal of Eating Disorders* 5: 37.
9. Haman L, Barker-Ruchti N, Patriksson G, Lindgren EC. Orthorexia nervosa: An integrative literature review of a lifestyle syndrome (2015) *International Journal of Qualitative Studies on Health and Well-Being* 10: 26799.
10. Janas-Kozik M, Zejda J, Stochel M, Brozek G, Janas A, et al. Orthorexia-a new diagnosis? (2012) *Psychiatria Polska* 46: 441-450.
11. Brytek-Matera A, Rogoza R, Gramaglia C, Zeppegno P. Predictors of orthorexic behaviours in patients with eating disorders: A preliminary study (2015) *BMC Psychiatry* 15: 252.
12. Dittfeld A, Gwizdek K, Koszowska A, Nowak J, Broncczyk-Puzon A, et al. Assessing the risk of orthorexia in dietetic and physiotherapy students using the BOT (Bratman Test for Orthorexia) (2016) *Pediatric Endocrinology, Diabetes and Metabolism* 22: 6-14.
13. Varga M, Dukay-Szabo S, Tury F. Orthorexia nervosa and its background factors (2013) *Ideggyogyaszati Szemle* 66: 220-227.
14. Oberle CD, Samaghabadi RO, Hughes EM. Orthorexia nervosa: Assessment and correlates with gender BMI and personality (2017) *Appetite* 108: 303-310.
15. Avsar O, Kuskucu A, Sancak S, Genc E. Are dopaminergic genotypes risk factors for eating behavior and obesity in adults? (2017) *Neuroscience Letters* 654: 28-32.
16. Koven NS, Abry AW. The clinical basis of orthorexia nervosa: Emerging perspectives (2015) *Neuropsychiatric Disease and Treatment* 1: 385-394.
17. Brytek-Matera A. Orthorexia nervosa - An eating disorder, obsessive-compulsive disorder or disturbed eating habit? (2012) *Archives of Psychiatry and Psychotherapy* 1: 55-60.